



Initial & Subsequent TBI Encounter Coding Examples

Initial TBI Encounter Coding Example:

A Service member (SM) is seen for the first time at a military treatment facility for complaints of memory problems several weeks after returning home from deployment. The patient reports that he was part of a convoy that was hit by an improvised explosive device (IED) blast and while he didn't sustain any physical injuries, he reports that he was unconscious for approximately three minutes. The SM reports that he has never sought treatment for his complaint of difficulty remembering things, which is now causing significant difficulty at work. The practitioner ensures documentation that this visit was an initial encounter for TBI as the patient was never seen by medical staff for the incident he described. The practitioner codes this initial encounter as:

Primary diagnosis	850.11	Concussion with LOC of 30 minutes or less		
Secondary diagnoses:	V15.52_2	Injury related to global war on terrorism, mild		
	780.93	Memory loss, NOS		
	V70.5_6	Post-deployment encounter		
	V80.01	Special screening for TBI		

Subsequent TBI Encounter Coding Example:

A Service member presents to her provider at a military treatment facility (MTF) after returning home from Iraq complaining of headaches that began shortly after she was exposed to an improvised explosive device (IED) blast two weeks ago. The provider reviews AHLTA notes and finds a note written immediately after the injury documenting the following: a description of the injury event, alteration of consciousness (AOC) of less than five minutes, no reported or observed loss of consciousness (LOC), no post-traumatic amnesia (PTA) and ICD-9 code 850.0. The provider determines that the present complaint of headache may be related to the previously diagnosed mild TBI.

Primary diagnosis	784.0	Headache		
Secondary diagnoses:	V15.52_2	Injury related to global war on terrorism, mild		
	907.0	Late effect of intracranial injury without skull or facial fracture		
	V70.5_6	Post-deployment encounter		



Coding Initial TBI Encounter

- 1. Primary code: brain injury, 8xx 2. Secondary diagnosis: V-code, V15.52_x
- 3. Other ICD-9 codes for symptoms (i.e., Tinnitus 388.3)
- 4. Appropriate deployment status code, V70.5_x
- 5. Special screening code for TBI, V80.01

Coding Subsequent TBI Encounters 1. Primary diagnosis: chief complaint

- 2. Secondary disgnosis: V-code, V15.52_x
- 3. Late effect code (905.0 or 907.0)4. Appropriate deployment satus code, V70.5_x
- 5. Other ICD-9 codes as appropriate

800-804 & 850-854 Series Codes

V-Code (must be used

Series Code	Description (Note: require a fourth and fifth digit)					
800	Fractures of vault of skull					
801	Fractures of base of skull					
802	Fractures of face bones					
803	Other and unqualified skull fractures					
804	Multiple fractures involving skull or face with other bones					
850	Concussion					
851	Cerebral laceration and contusion					
852	Subarachnoid, subdural and extradural hemorrhage following injury					
853	Other and unspecified intracranial hemorrhage following injury					
854	Intracranial injury of other and unspecified nature					
	Injury	Level of Severity				
V-Code (must be used	Related	_		d)		DD D

with <i>all</i> TBI encounters)	War on Terrorism	Unknow	Mild	Modera	Severe	Penetral
V15.52_0	Personal history of TBI NOT otherwise specified (NOS)					
V15.52_1	Yes	х				
V15.52_2	Yes		х			
V15.52_3	Yes			х		
V15.52_4	Yes				х	
V15.52_5	Yes					Х
V15.52_6	No	х				
V15.52_7	No		х			
V15.52_8	No			х		
V15.52_9	No				х	
V15.52_A	No					Х
V15.52_B	Unknown	х				
V15.52_C	Unknown		х			
V15.52_D	Unknown			х		
V15.52_E	Unknown				х	
V15.52_F	Unknown					х
Late Effect Codes (must be used with all follow-up TBI encounters)						
Series Code	Description					
905.0	Late effect of intracranial injury with skull					

907.0	or facial fracture		
Emotional/Behavioral Symptom Codes			
Series Code	Description		
799.21	Nervousness		
799.22	Irritability		
799.23	Impulsiveness		

Late effect of intracranial injury without skull

or facial fracture

799.24	Emotional lability			
799.25	Demoralization and apathy			
799.29	Other signs and symptoms involving emotional state			
Common Symptoms Associated with TBI				
Series Code	Description			
Series Code	Description Hearing			
Series Code 389.9	•			
	Hearing			
389.9	Hearing Hearing loss, unspecified			

Common Symptoms Associated with 151			
Series Code	Description		
	Hearing		
389.9	Hearing loss, unspecified		
388.42	Hyperacusis		
388.3	Tinnitus		
	Neurologic		
780.4	Dizziness, lightheadedness		
784.0	Headache		
780.93	Memory loss, NOS		
438.85	Vertigo		
	Psychiatric		
308.9	Acute stress reaction, unspecified		
300	Anxiety/irritability		
311	Depression		
	Sleep		
780.5	Sleep disturbance		
780.52	Insomnia		
	Vision		
368.8	Blurred vision, NOS		
368.13	Photophobia		
	Other/General		
780.7	Malaise and fatigue		
787.02	Nausea		

Series Code	Description		
V70.5_5	During deployment encounter		
V70.5_6	Post-deployment encounter		
TBI Screening Code			
Series Code	Description		

Special screening for TBI

Deployment Status Codes

V80.01